

Placebo-controlled trials of Chinese Herbal Medicine and conventional medicine: Comparative study (Aijing Shang et al.)

Appendix 2 – List of matched trials of conventional medicine

- (1) Ala-Houhala M, Koskinen T, Koskinen M, Visakorpi JK. Double Blind Study on the Need for Vitamin D Supplementation in Prepubertal Children. *Acta Paediatr Scand* 1988; 77(1):89-93.
- (2) Arienti V, Corazza GR, Sorge M, Boriani L, Ugenti F, Biagi F et al. The effects of levosulpiride on gastric and gall-bladder emptying in functional dyspepsia. *Aliment Pharmacol Ther* 1994; 8(6):631-638.
- (3) Avner DL, Dorsch ER, Jennings DE, Greski-Rose PA. A comparison of three doses of lansoprazole (15, 30 and 60 mg) and placebo in the treatment of duodenal ulcer. *Aliment Pharmacol Ther* 1995; 9(5):521-528.
- (4) Baelde Y, Dupont P. Cetirizine in Children with Chronic Allergic Rhinitis. A Multicentre Double-Blind Study of Two Doses of Cetirizine and Placebo. *Drug Invest* 1992; 4(6):466-472.
- (5) Barabino A, Galbariggi G, Pizzorni C, Lotti G. Comparative Effects of Long-Term Therapy with Captopril and Ibopamine in Chronic Congestive Heart Failure in Old Patients. *Cardiology* 1991; 78(3):243-256.
- (6) Barbier JP, Dorf G, Gordin J, Krainik F, Neveu D, Parlier H et al. Effet de l'association métioudure de buzépide-halopéridol dans le traitement des troubles fonctionnels intestinaux. Etude randomisée en double-aveugle contrôlée contre placebo. *Ann de Gastroenterologie et d'Hépatologie* 1989; 25(3):123-128.
- (7) Benedikter L, Deichsel G, Maurer HJ. Persumbran in der Praxis. Plazebokontrollierte Doppelblindprüfung bei Patienten mit Angina pectoris. *Fortschr Med* 1991; 109(17):364-368.
- (8) Biernacki W, Prince K, Whyte K, Macnee W, Flenley DC. The Effect of Six Months of Daily Treatment with the Beta-2 Agonist Oral Pirbuterol on Pulmonary Hemodynamics in Patients with Chronic Hypoxic Cor Pulmonale Receiving Long-term Oxygen Therapy. *Am Rev Respir Dis* 1989; 139:492-497.
- (9) Birkeland KI, Stray-Gundersen J, Hemmersbach P, Hallen J, Haug E, Bahr R. Effect of rhEPO administration on serum levels of sTfR and cycling performance. *Medicine & Science in Sports & Exercise* 2000; 32(7):1238-1243.
- (10) Blanda M, Rench T, Gerson LW, Weigand JV. Intranasal Lidocaine for the Treatment of Migraine Headache: A Randomized, Controlled Trial. *Academic Emergency Medicine* 2001; 8(4):337-342.
- (11) Boghaert A, Haesaert G, Mourisse P, Verlinden M. Placebo-controlled trial of cisapride in postoperative ileus. *Acta Anaesthesiologica Belgica* 1987; 38(3):195-199.
- (12) Bonacini M, Quiason S, Reynolds M, Gaddis M, Pemberton B, Smith O. Effect of Intravenous Erythromycin on Postoperative Ileus. *The American Journal of Gastroenterology* 1993; 88(2):208-211.
- (13) Borg V. Bromocriptine in the prevention of alcohol abuse. *Acta psychiatr scand* 1983; 68(2):100-110.

- (14) Bregenzner N, Caesar I, Andus T, Hämling J, Malchow H, Schreiber S et al. Lack of clinical efficacy of additional factor XIII treatment in patients with steroid refractory colitis. *Z Gastroenterol* 1999; 37(10):999-1004.
- (15) Bunyavejchevin S, Limpaphayom KK. The Metabolic and Bone Density Effects of Continuous Combined 17-beta Estradiol and Norethisterone Acetate Treatments in Thai Postmenopausal Women: A Double-Blind Placebo-Controlled Trial. *J Med Assoc Thai* 2001; 84(1):45-53.
- (16) Burke WJ, Hendricks SE, McArthur-Miller D, Jacques D, Bessette D, McKillip T et al. Weekly Dosing of Fluoxetine for the Continuation Phase of Treatment of Major Depression: Results of a Placebo-Controlled, Randomized Clinical Trial. *J Clin Psychopharmacol* 2000; 20(4):423-427.
- (17) Büchler M, Malfertheiner P, Uhl W, Schölmerich J, Stöckmann F, Adler G et al. Gabexate Mesilate in Human Acute Pancreatitis. *Gastroenterology* 1993; 104(4):1165-1170.
- (18) Carlsburg R, Fischer M. Zur Behandlung von Oberbauchbeschwerden bei chronischer Gastritis. Therapie-Ergebnisse mit dem motilitätsregulierenden Präparat Bromoprid. *Fortschr Med* 1980; 98(17):679-682.
- (19) Castells A, Bruix J, Bru C, Ayuso C, Roca M, Boix L et al. Treatment of Hepatocellular Carcinoma With Tamoxifen: A Double-Blind Placebo-Controlled Trial in 120 Patients. *Gastroenterology* 1995; 109(3):917-922.
- (20) Cengiz M, Özyar E, Öztürk D, Akyol F, Atahan IL, Hayran M. Sucralfate in the Prevention of Radiation-Induced Oral Mucositis. *J Clin Gastroenterol* 1999; 28(1):40-43.
- (21) Champion MC, MacCannell KL, Thomson ABR, Tanton R, Eberhard S, Sullivan SN et al. A double-blind randomized study of cisapride in the treatment of nonulcer dyspepsia. *Can J Gastroenterol* 1997; 11(2):127-134.
- (22) Chard MD, Crisp AJ. Astemizole, an H1 Antagonist, Has No Additional Therapeutic Effect in Rheumatoid Arthritis. *The Journal of Rheumatology* 1991; 18(2):203-204.
- (23) Cho YL, Liu HN, Huang TP, Tarng DC. Uremic pruritus: Roles of parathyroid hormone and substance P. *Journal of the American Academy of Dermatology* 1997; 36(4):538-543.
- (24) Chouinard G, Jones B, Remington G, Bloom D, Addington D, MacEwan GW et al. A Canadian Multicenter Placebo-Controlled Study of Fixed Doses of Risperidone and Haloperidol in the Treatment of Chronic Schizophrenic Patients. *Journal of Clinical Psychopharmacology* 1993; 13(1):25-40.
- (25) Clevers GJ, Smout AJPM, Akkermans LMA, Wittebol P. Restoration of gastrointestinal transit and colonic motility after major abdominal surgery; effects of cisapride. *Surg Res Comm* 1988; 4(3):205-213.
- (26) Clover RD, Crawford S, Glezen WP, Taber LH, Matson CC, Couch RB. Comparison of Heterotypic Protection against Influenza A/Taiwan/86 (H1N1) by Attenuated and Inactivated Vaccines to A/Chile/83-like Viruses. *JID* 1991; 163(2):300-304.
- (27) Cohen C, Revicki DA, Nabulsi A, Sarocco PW, Jiang P. A randomized trial of the effect of ritonavir in maintaining quality of life in advanced HIV disease. *AIDS* 1998; 12(12):1495-1502.
- (28) Connett GJ, Warde C, Wooler E, Lenney W. Use of budesonide in severe asthmatics aged 1-3 years. *Archives of Disease in Childhood* 1993; 69(3):351-355.
- (29) Dawsey SM, Wang GQ, Taylor PR, Li JY, Blot WJ, Li B et al. Effects of Vitamin/Mineral Supplementation on the Prevalence of Histological Dysplasia and Early Cancer of the Esophagus and Stomach: Results from the Dysplasia Trial in Linxian, China. *Cancer, Epidemiology, Biomarkers & Prevention* 1994; 3(2):167-172.

- (30) del Toro RA, Concepcion R. Twelve-Week Study of Etodolac, Aspirin, and Placebo in Patients with Rheumatoid Arthritis. *Clinical Therapeutics* 1983; 5(4):436-444.
- (31) Dhont M, van Eyck J, Delbeke L, Voorhoof L. Danazol treatment of chronic cystic mastopathy: a clinical and hormonal evaluation. *Postgraduate Medical Journal* 1979; 55(5):66-70.
- (32) Diamond S, Freitag FG, Diamond ML, Urban GJ, Pepper BJ. A Double-Blind Placebo-Controlled Trial of Nabumetone in the Prophylaxis of Migraine. *Headache Quarterly* 1996; 7(4):326-329.
- (33) Dickstein K, Aarsland T, Ferrari P, Todd M, Stimpel M. Comparison of the Efficacy of Three Dose Levels of Moexipril Versus Placebo as Add-On Therapy to Hydrochlorothiazide in Patients with Moderate Hypertension. *J Cardiovasc Pharmacol* 1994; 24(2):247-255.
- (34) Ditzler K. Efficacy and Tolerability of Memantine in Patients with Dementia Syndrome. A double-blind, placebo controlled trial. *Arzneim Forsch / Drug Res* 1991; 41(8):773-780.
- (35) Dobie RA, Sakai CS, Sullivan MD, Katon WJ, Russo J. Antidepressant treatment of tinnitus patients: report of a randomized clinical trial and clinical prediction of benefit. *The American Journal of Otology* 1993; 14(1):18-23.
- (36) Drouin M, Yang WH, Bertrand B, van Cauwenberge P, Clement P, Dalby K et al. Once daily mometasone furoate aqueous nasal spray is as effective as twice daily beclomethasone dipropionate for treating perennial allergic rhinitis patients. *Annals of Allergy, Asthma & Immunology* 1996; 77(2):153-160.
- (37) Dula E., Keating W., Siami PF., Edmonds A., et al. Efficacy and safety of fixed-dose and dose-optimization regimens of sublingual apomorphine versus placebo in men with erectile dysfunction. *Urology* 2000; 56:130-135.
- (38) Eddleston JM, Pearson RC, Holland J, Tooth JA, Vohra A, Doran B. Prospective endoscopic study of stress erosions and ulcers in critically ill adult patients treated with either sucralfate or placebo. *Critical Care Medicine* 1994; 22(12):1949-1954.
- (39) Elie R, Rüther E, Farr I, Emilien G, Salinas E. Sleep Latency Is Shortened During 4 Weeks of Treatment With Zaleplon, a Novel Nonbenzodiazepine Hypnotic. *J Clin Psychiatry* 1999; 60(8):536-544.
- (40) Enderby P, Broeckx J, Hospers W, Schildermans F, Deberdt W. Effect of Piracetam on Recovery and Rehabilitation After Stroke: A Double-Blind, Placebo-Controlled Study. *Clin Neuropharmacol* 1994; 17(4):320-331.
- (41) Engst R, Huber J. Ergebnisse einer Cyclosporin-Behandlung bei schwerer, chronischer Psoriasis vulgaris. *Hautarzt* 1989; 40(8):486-489.
- (42) Evans TW, Waterhouse J, Finlay M, Suggett AJ, Howard P. The effects of long term methyldopa in patients with hypoxic cor pulmonale. *Br J Dis Chest* 1988; 82(4):405-413.
- (43) Ewing CI, Gibbs ACC, Ashcroft C, David TJ. Failure of oral zinc supplementation in atopic eczema. *European Journal of Clinical Nutrition* 1991; 45(10):507-510.
- (44) Facchinetti F, Borella P, Sances G, Fioroni L, Nappi RE, Genazzani AR. Oral Magnesium Successfully Relieves Premenstrual Mood Changes. *Obstetrics&Gynecology* 1991; 78(2):177-181.
- (45) Fagan TC, Tyler ED, Reitman MA, Kenley S, Weber MA. Sustained-release Nicardipine in Mild-to-Moderate Hypertension. *Chest* 1993; 104(2):427-433.
- (46) Feldman J, Menkès CJ, Pallard G, Chevrot A, Horreard P, Zenny JC et al. Etude en double-aveugle du traitement de la lombosciatique discale par chimionucléolyse. *Revue du Rhumatisme* 1986; 53(3):147-152.

- (47) Fiocchi A, Grasso U, Zuccotti G, Arancio R, Riva E, Giovannini M. Domiodol Treatment for Bronchopulmonary Diseases in the Paediatric Age Group: A Double-blind Controlled Clinical Trial versus Placebo. *The Journal of International Medical Research* 1988; 16(1):31-38.
- (48) Førre Ø. Radiologic evidence of disease modification in rheumatoid arthritis patients treated with cyclosporine: Results of a 48-Week Multicenter Study Comparing Low-Dose Cyclosporine with Placebo. *Arthritis & Rheumatism* 1994; 37(10):1506-1512.
- (49) Galeone M, Cacioli D, Megevand J, Galeone M. Double blind, placebo controlled clinical assessment of guaiacresol in paediatric patients. *European Journal of Clinical Research* 1993; 4:79-88.
- (50) Gandara DR, Nahhas WA, Adelson MD, Lichtman SM, Podczaski ES, Yanovich S et al. Randomized Placebo-Controlled Multicenter Evaluation of Diethyldithiocarbamate for Chemoprotection Against Cisplatin-Induced Toxicities. *Journal of Clinical Oncology* 1995; 13(2):490-496.
- (51) Georgitis WJ, Merenich JA. Trial of Pentoxifylline for Diabetic Impotence. *Diabetes Care* 1995; 18(3):345-352.
- (52) Grinspoon S, Corcoran C, Askari H, Schoenfeld D, Wolf L, Burrows B et al. Effects of Androgen Administration in Men with the AIDS Wasting Syndrome. A Randomized, Double-Blind, Placebo-Controlled Trial. *Ann Intern Med* 1998; 129(1):18-26.
- (53) Grove O, Halver B. Relief of Osteoporotic Backache with Fluoride, Calcium, and Calciferol. A Randomized Clinical Trial. *Acta Med Scand* 1981; 209(6):469-471.
- (54) Haas GG, Manganiello P. A double-blind, placebo-controlled study of the use of methylprednisolone in infertile men with sperm-associated immunoglobulins. *Fertility and Sterility* 1987; 47(2):295-301.
- (55) Hallerbäck B, Carlsen E, Carlsson K, Enkvist C, Glise H, Haffner J et al. Beta-Adrenoceptor Blockade in the Treatment of Postoperative Adynamic Ileus. *Scand J Gastroenterol* 1987; 22(2):149-155.
- (56) Hallerbäck B, Ander S, Glise H. Effect of Combined Blockade of beta-Adrenoceptors and Acetylcholinesterase in the Treatment of Postoperative Ileus after Cholecystectomy. *Scand J Gastroenterol* 1987; 22(4):420-424.
- (57) Hanefeld M, Abletshauser C. Effect of the Angiotensin II Receptor Antagonist Valsartan on Lipid Profile and Glucose Metabolism in Patients with Hypertension. *The Journal of International Medical Research* 2001; 29(4):270-279.
- (58) Hanson FW, Izu A, Henzl MR. Naproxen Sodium in Dysmenorrhea. Its Influence in Allowing Continuation of Work/School Activities. *Obstetrics&Gynecology* 1978; 52(5):583-587.
- (59) Harrington CI, Goldin D, Lovell CR, van de Kerkhof P, Nieboer C, Austad J et al. Comparative effects of two different calcipotriol (MC 903) cream formulations versus placebo in psoriasis vulgaris. A Randomised, Double-Blind, Placebo-Controlled, Parallel Group Multi-Centre Study. *J Eur Acad Dermatol Venereol* 1996; 6(2):152-158.
- (60) Havas T, Huang S, Levy M, Abi-Hanna D, Truskett P, Priestley J et al. Posterior pharyngolaryngitis: Double-blind randomised placebo-controlled trial of proton pump inhibitor therapy. *Aust J Otolaryng* 1999; 3(3):243-246.
- (61) Hedner T, Himmelmann A. The efficacy and tolerance of one or two daily doses of eprosartan in essential hypertension. *Journal of Hypertension* 1999; 17(1):129-136.
- (62) Heidrich H, Adamczyk A, Baumer S. Isosorbiddinitrat in neuer Galenik bei koronarer Herzkrankheit: Multizentrische kontrollierte Doppelblindstudie. *Therapiewoche* 1984; 34(2):223-227.

- (63) Heys SD, Ogston K, Miller I, Hutcheon AW, Walker LG, Sarker TK et al. Potentiation of the response to chemotherapy in patients with breast cancer by dietary supplementation with L-arginine: Results of a randomised controlled trial. *International Journal of Oncology* 1998; 12(1):221-225.
- (64) Hindley AC, Hill EB, Leyland MJ, Wiles AE. A Double-Blind Controlled Trial of Salmon Calcitonin in Pain due to Malignancy. *Cancer Chemother Pharmacol* 1982; 9(2):71-74.
- (65) Hoffmann CEJ, McDonald PJ, Watts J. Use of Perioperative Cefoxitin® to Prevent Infection After Colonic and Rectal Surgery. *Ann Surg* 1981; 193(3):353-356.
- (66) Holwerda NJ, Fogari R, Angeli P, Porcellati C, Hereng C, Oddou-Stock P et al. Valsartan, a new angiotensin II antagonist for the treatment of essential hypertension: efficacy and safety compared with placebo and enalapril. *Journal of Hypertension* 1996; 14(9):1147-1151.
- (67) Ip M, So SY, Lam WK, Shum D. Nedocromil sodium in the management of chronic bronchial infection. *Journal of Clinical Pharmacy and Therapeutics* 1993; 18(5):337-341.
- (68) Jara-Pérez JV, Berber A. Primary Prevention of Acute Respiratory Tract Infections in Children Using a Bacterial Immunostimulant: A Double-Masked, Placebo-Controlled Clinical Trial. *Clinical Therapeutics* 2000; 22(6):748-759.
- (69) Jaschevatzky OE, Anderman S, Shalit A, Kampf D, Grünstein S. The treatment of postmenopausal syndrome by monthly oral doses of quinestrol. *Acta Obstet Gynecol Scand* 1979; 58(2):175-178.
- (70) Jensen J, Christiansen C. Dose-response and withdrawal effects on climacteric symptoms after hormonal replacement therapy. A placebo-controlled therapeutic trial. *Maturitas* 1983; 5(2):125-133.
- (71) Khan MC. A Randomised, Double-Blind, Placebo-Controlled, 5-Weeks' study of Org 3770 (Mirtazapine) in Major Depression. *Human Psychopharmacology* 1995; 10(2):119-124.
- (72) Kim NN, Dhir V, Azadzo KM, Traish AM, Flaherty E, Goldstein I. Pilot Study of the Endothelin-A Receptor Selective Antagonist BMS-193884 for the Treatment of Erectile Dysfunction. *Journal of Andrology* 2002; 23(1):76-83.
- (73) Kjolhede CL, Chew FJ, Gadomski AM, Marroquin DP. Clinical trial of vitamin A as adjuvant treatment for lower respiratory tract infections. *The Journal of Pediatrics* 1995; 126(5, Part 1):807-812.
- (74) König P, Eigen H, Ellis MH, Ellis E, Blake K, Geller D et al. The Effect of Nedocromil Sodium on Childhood Asthma During the Viral Season. *Am J Respir Crit Care Med* 1995; 152(6 Pt 1):1879-1886.
- (75) Langford HG, Davis BR, Blaufox D, Oberman A, Wassertheil-Smoller S, Hawkins M et al. Effect of Drug and Diet Treatment of Mild Hypertension on Diastolic Blood Pressure. *Hypertension* 1991; 17(2):210-217.
- (76) Lanza F, Goff J, Silvers D, Winters J, Jhala N, Jennings D et al. Prevention of Duodenal Ulcer Recurrence with 15 mg Lansoprazole: A Double-Blind Placebo-Controlled Study. *Digestive Disease and Sciences* 1997; 42(12):2529-2536.
- (77) Lähteenmäki A, Räsänen M, Hovatta O. Low-dose prednisolone does not improve the outcome of in-vitro fertilization in male immunological infertility. *Human Reproduction* 1995; 10(12):3124-3129.
- (78) Levin DC, Little KS, Laughlin KR, Galbraith JM, Gustman PM, Murphy D et al. Addition of Anticholinergic Solution Prolongs Bronchodilator Effect of beta 2 Agonists in Patients with Chronic Obstructive Pulmonary Disease. *The American Journal of Medicine* 1996; 100(1A):40S-48S.

- (79) Lyritis GP, Ioannidis GV, Karachalios T, Roidis N, Kataxaki E, Papaioannou N et al. Analgesic Effect of Salmon Calcitonin Suppositories in Patients with Acute Pain Due to Recent Osteoporotic Vertebral Crush Fractures: A Prospective Double-Blind, Randomized, Placebo-Controlled Clinical Study. *The Clinical Journal of Pain* 1999; 15(4):284-289.
- (80) MacKenzie CA, Weinberg EG, Tabachnik E, Taylor M, Havnen J, Crescenzi K. A placebo controlled trial of fluticasone propionate in asthmatic children. *Eur J Pediatr* 1993; 152(10):856-860.
- (81) MacLennan R, Macrae F, Bain C, Battistutta D, Chapuis P, Gratter H et al. Randomized Trial of Intake of Fat, Fiber, and Beta Carotene to Prevent Colorectal Adenomas. *Journal of the National Cancer Institute* 1995; 87(23):1760-1766.
- (82) Maiztegui JI, Mckee KT, Barrera Oro JG, Feuillade MR, Levis SC, Peters CJ. Protective Efficacy of a Live Attenuated Vaccine against Argentine Hemorrhagic Fever. *JID* 1998; 177(2):277-283.
- (83) Mandl M, Nolop K, Lutsky BN. Comparison of once daily mometasone furoate (Nasonex) and fluticasone propionate aqueous nasal sprays for the treatment of perennial rhinitis. *Annals of Allergy, Asthma & Immunology* 1997; 79:370-378.
- (84) Mann K, Pankok J, Leissner J, Benkert O. Effects of moclobemide on sexual performance and nocturnal erections in psychogenic erectile dysfunction. *Psychopharmacology* 2001; 156(1):86-91.
- (85) Mantel GD, Makin JD. Low dose dopamine in postpartum pre-eclamptic women with oliguria: a double-blind, placebo controlled, randomised trial. *Br J Obstet Gynaecol* 1997; 104(10):1180-1183.
- (86) Massie BM, Berk MR, Brozena SC, Elkayam U, Plehn JF, Kukin ML et al. Can Further Benefit Be Achieved by Adding Flosequinan to Patients With Congestive Heart Failure Who Remain Symptomatic on Diuretic, Digoxin, and an Angiotensin Converting Enzyme Inhibitor? Results of the Flosequinan-ACE Inhibitor Trial (FACET). *Circulation* 1993; 88(2):492-501.
- (87) Mazure PA, Cosen JN, Sferco AN, Roset J, Esteva EA, Gonzales A. Cimetidina en el tratamiento de la ulcera duodenal activa. *Acta Gastroent Lat Amer* 1978; 8(1):17-28.
- (88) McKenna F, Borenstein D, Wendt H, Wallemark C, Lefkowitz JB, Geis GS. Celecoxib versus diclofenac in the management of osteoarthritis of the knee: A placebo-controlled, randomized, double-blind comparison. *Scand J Rheumatol* 2001; 30(1):11-18.
- (89) Mentenopoulos G, Manafi T, Logothetis J, Bostantzopoulou S. Flunarizine in the prevention of classical migraine: a placebo-controlled evaluation. *Cephalalgia* 1985; 5(2):135-140.
- (90) Miceli G, Caltagirone C, Gainotti G. Gangliosides in the treatment of mental deterioration. A double-blind comparison with placebo. *Acta psychiatr scand* 1977; 55(2):102-110.
- (91) Michel O, Matthias R. Plazebokontrollierte Doppelblindstudie zur Hörsturzbehandlung mit einem stabilen Prostacyclinanalog. *Laryngo-Rhino-Otol* 1991; 70(5):255-259.
- (92) Mikus P, Polak O, Ochsenreither AM. Résultats cliniques et électro-encéphalographiques d'un essai en double aveugle de la pervincamine dans des cas de cérébro-sclérose a un stade avancé d'évolution. *Therapeutic* 1974; 50(1):31-39.
- (93) Muto Y, Moriwaki H, Ninomiya M, Adachi S, Saito A, Takeshi K et al. Prevention of second primary tumors by an acyclic retinoid, polyprenoic acid, in patients with hepatocellular carcinoma. *N Engl J Med* 1996; 334(24):1561-1567.
- (94) Nagamani M, Kelder ME, Smith ER. Treatment of menopausal hot flashes with transdermal administration of clonidine. *Am J Obstet Gynecol* 1987; 156(3):561-565.

- (95) Neaton JD, Grimm RH, Prineas RJ, Stamler J, Grandits GA, Elmer PJ et al. Treatment of Mild Hypertension Study: Final Results. *JAMA* 1993; 270(6):713-724.
- (96) Nelson JD. The effect of penicillin therapy on the symptoms and signs of streptococcal pharyngitis. *Pediatric Infectious Disease* 1984; 3(1):10-13.
- (97) Niimura M, Nishikawa T. Treatment of Eczema Herpeticum with Oral Acyclovir. *The American Journal of Medicine* 1988; 85(2A):49-52.
- (98) Olsen EA, Dunlap FE, Funicella T, Koperski JA, Swinehart JM, Tschen EH et al. A randomized clinical trial of 5% topical minoxidil versus 2% topical minoxidil and placebo in the treatment of androgenetic alopecia in men. *J Am Acad Dermatol* 2002; 47(3):377-385.
- (99) Orlando E, Finelli F, Colla M, Giotto E, Terragni P, Olivero G. Studio in doppia cecità tra neostigmina en versus placebo nell'ileo paralitico conseguente ad interventi chirurgici. *Minerva Chir* 1994; 49(5):451-455.
- (100) Pace S, Burke TF. Intravenous Morphine for Early Pain Relief in Patients with Acute Abdominal Pain. *Academic Emergency Medicine* 1996; 3(12):1086-1092.
- (101) Palomba S, Morelli M, Noia R, Santagata M, Oliverio A, Sena T et al. Short-Term Administration of Tibolone plus GnRH Analog before Laparoscopic Myomectomy. *J Am Assoc Gynecol Laparosc* 2002; 9(2):170-174.
- (102) Pavord I, Hall I, Wahedna I, Cooper S, Tattersfield A. Effect of 443c81, an inhaled mu-opioid receptor agonist in asthma. *Clinical and Experimental Allergy* 1994; 24(2):144-148.
- (103) Piga A, Bracci R, Ferretti B, Sandri P, Nortilli R, Acito L et al. A Double Blind Randomized Study of Oral Clodronate in the Treatment of Bone Metastases From Tumors Poorly Responsive to Chemotherapy. *J Exp Clin Cancer Res* 1998; 17(2):213-217.
- (104) Pitt WA, Gross SA, Glassman J, Mazur JH, Stubbs DF, Hearn MS et al. Suppression of ventricular premature beats by intravenous methylprednisolone in patients with acute myocardial infarction. *Current Therapeutic Research* 1985; 37(6):1187-1194.
- (105) Poeze M, Froom AHM, Ramsay G, Buurman WA, Greve JWM. Decreased organ failure in patients with severe SIRS and septic shock treated with the platelet-activating factor antagonist TCV-309: a prospective, multicenter, double-blind, randomized phase II trial. *Shock* 2000; 14(4):421-428.
- (106) Ponc R, Saunders MD, Kimmey MB. Neostigmine for the treatment of acute colonic pseudo-obstruction. *N Engl J Med* 1999; 341(3):137-141.
- (107) Rapoport AM, Visser WH, Cutler NR, Alderton CJ, Paulsgrove LA, Davis RL et al. Oral sumatriptan in preventing headache recurrence after treatment of migraine attacks with subcutaneous sumatriptan. *Neurology* 1995; 45(8):1505-1509.
- (108) Rigaud D, Rytting KR, Angel LA, Apfelbaum M. Overweight treated with energy restriction and a dietary fibre supplement: A 6-month randomized, double-blind, placebo-controlled trial. *International Journal of Obesity* 1990; 14(9):763-769.
- (109) Roberts JP, Benson MJ, Rogers J, Deeks JJ, Wingate DL, Williams NS. Effect of Cisapride on Distal Colonic Motility in the Early Postoperative Period Following Left Colonic Anastomosis. *Dis Colon Rectum* 1995; 38(2):139-145.
- (110) Sadek SA, Cranford C, Eriksen C, Walker M, Campbell C, Baker PR et al. Pharmacological manipulation of adynamic ileus: controlled randomized double-blind study of ceruletide on intestinal motor activity after elective abdominal surgery. *Aliment Pharmacol Ther* 1988; 2(1):47-54.

- (111) Sahakian V, Rouse D, Sipes S, Rose N, Niebyl J. Vitamin B6 is Effective Therapy for Nausea and Vomiting of Pregnancy: A Randomized, Double-Blind Placebo-Controlled Study. *Obstetrics&Gynecology* 1991; 78(1):33-36.
- (112) Saldmann F, Funel A, Jacquet P. Efficacy of naftidrofuryl in patients with moderate senile dementia. *Current Medical Research and Opinion* 1991; 12(6):379-389.
- (113) San L, Cami J, Fernández T, Ollé JM, Peri JM, Torrens M. Assessment and management of opioid withdrawal symptoms in buprenorphine-dependent subjects. *British Journal of Addiction* 1992; 87(1):55-62.
- (114) Sankaranarayanan R, Mathew B, Varghese C, Sudhakaran PR, Menon V, Jayadeep A et al. Chemoprevention of Oral Leukoplakia with Vitamin A and Beta Carotene: An Assessment. *Oral Oncology* 1997; 33(4):231-236.
- (115) Schneeweiss A, Kobrin I, Charlon V, Caspi A, Marmor A, Sclarovsky S et al. Adding the new calcium antagonist mibefradil to patients receiving long-term beta-blocker therapy results in improved antianginal and antiischemic efficacy. *American Heart Journal* 1998; 135(2, Part 1):272-280.
- (116) Seki H, Kuromaki K, Takeda S, Kinoshita K, Satoh K. Trial of prophylactic administration of TXA2 synthetase inhibitor, ozagrel hydrochloride, for preeclampsia. *Hypertension in Pregnancy* 1999; 18(2):157-164.
- (117) Shulman LP, Yankov V, Uhl K. Safety and efficacy of a continuous once-a-week 17beta-estradiol/levonorgestrel transdermal system and its effects on vasomotor symptoms and endometrial safety in postmenopausal women: the results of two multicenter, double-blind, randomized, controlled trials. *Menopause* 2002; 9(3):195-207.
- (118) Singhi SC, Banerjee S, Nanjundaswamy HM. Inhaled budesonide in acute asthma. *J Paediatr Child Health* 1999; 35(5):483-487.
- (119) Smith AJ, Nissan A, Lanouette NM, Shi W, Guillem JG, Wong WD et al. Prokinetic Effect of Erythromycin After Colorectal Surgery: Randomized, Placebo-Controlled, Double-Blind Study. *Dis Colon Rectum* 2000; 43(3):333-337.
- (120) Stone RM, Berg DT, George SL, Dodge RK, Paciucci PA, Schulman P et al. Granulocyte-macrophage colony-stimulating factor after initial chemotherapy for elderly patients with primary acute myelogenous leukemia. *N Engl J Med* 1995; 332(25):1671-1677.
- (121) Stovall TG, Muneyyirci-Delale O, Summitt RL, Scialli AR. GnRH Agonist and Iron Versus Placebo and Iron in the Anemic Patient Before Surgery for Leiomyomas: A Randomized Controlled Trial. *Obstetrics&Gynecology* 1995; 86(1):65-71.
- (122) Study Group. Ensayo clinico experimental, doblemente ciego, aleatorizado, controlado con placebo, del efecto de nicardipino en la funcion cognitiva en pacientes afectados de demencia vascular. *Rev Neurol* 1999; 28(9):835-845.
- (123) Study Group. European Pentoxifylline Multi-Infarct Dementia Study. *Eur Neurol* 1996; 36(5):315-321.
- (124) Study Group. Randomised trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). *Lancet* 1994; 344(8934):1383-1389.
- (125) Study Group. Recurrent Condylomata Acuminata Treated With Recombinant Interferon Alfa-2a: A Multicenter Double-blind Placebo-Controlled Clinical Trial. *JAMA* 1991; 265(20):2684-2687.
- (126) Study Group. Treatment of Benzodiazepine Overdose with Flumazenil. *Clinical Therapeutics* 1992; 14(6):978-995.

- (127) Taguchi A, Sharma N, Saleem RM, Sessler DI, Carpenter RL, Seyedsadr M et al. Selective postoperative inhibition of gastrointestinal opioid receptors. *N Engl J Med* 2001; 345(13):935-940.
- (128) Taylor WJ, Rajapakse CNA, Harris KA, Harrison AA, Corkill MM. Inpatient Treatment of Rheumatoid Arthritis with Synacthen Depot: A Double Blind Placebo Controlled Trial with 6 Month Followup. *The Journal of Rheumatology* 1999; 26(12):2544-2550.
- (129) Thompson JA, Gillilang G, Prchal JT, Bennett JM, Larholt K, Nelson RA et al. Effect of recombinant human erythropoietin combined with granulocyte/ macrophage colony-stimulating factor in the treatment of patients with myelodysplastic syndrome. *Blood* 2000; 95(4):1175-1179.
- (130) Uretsky BF, Jessup M, Konstam MA, Dec GW, Leier CV, Benotti J et al. Multicenter Trial of Oral Enoximone in Patients With Moderate to Moderately Severe Congestive Heart Failure. Lack of Benefit Compared With Placebo. *Circulation* 1990; 82(3):774-780.
- (131) van Essen-Zandvliet EEM. Long-term intervention in childhood asthma: the Dutch study results. *Monaldi Arch Chest Dis* 1995; 50(3):201-207.
- (132) Veien NK, Kaaber K, Larsen PO, Nielsen AO, Thestrup-Pedersen K. Ranitidine treatment of hand eczema in patients with atopic dermatitis: A double-blind, placebo-controlled trial. *Journal of the American Academy of Dermatology* 1995; 32(6):1056-1057.
- (133) Vescovi PP, Michelini M, Maninetti L, Pedrazzoni M, Pioli G, Zaniboni G et al. Calcitonin nasal spray reduces opioid withdrawal syndrome without modification of endogenous opioid secretion. *Recenti Progressi in Medicina* 1992; 83(1):23-26.
- (134) von Keitz AT, Ströberg P, Bukofzer S, Mallard N, Hibberd M. A European multicentre study to evaluate the tolerability of apomorphine sublingual administered in a forced dose-escalation regimen in patients with erectile dysfunction. *BJU International* 2002; 89(4):409-415.
- (135) Wolf-Jürgensen P. Efficacy of bufexamac cream versus betamethasone valerate cream in contact dermatitis: a double-blind trial. *Current Medical Research and Opinion* 1979; 5(10):779-784.
- (136) Yukioka H, Bogod DG, Rosen M. Recovery of bowel motility after surgery. Detection of Time of First Flatus from Carbon Dioxide Concentration and Patient Estimate after Nalbuphine and Placebo. *Br J Anaesth* 1987; 59(5):581-584.