

1. Aabel S, Laerum E, Dolvik S, Djupesland P. Is homeopathic 'immunotherapy' effective? A double-blind, placebo-controlled trial with the isopathic remedy *Betula 30c* for patients with birch pollen allergy. *British Homeopathic Journal* 89(4):161-8, 2000.
Reason for exclusion: insufficient information
2. Albertini H, Goldberg W, Sangui, Toulza. Bilan de 60 observations randomisées - *Arnica* contre placebo dans les névralgies dentaires. *Homéopathie* 1: 47, 1984.
Reason for exclusion: no matching trial
3. Beckmann-Reinhold A, Schauer U, Wellensiek B, Werner B, Wartenberg A. A homeopathic complex remedy proves efficacious in migraine therapy: a randomized, double blind, parallel group clinical trial. *Headache World*. London. Sept 3-7, 2000.
Reason for exclusion: not available
4. Bekkering GM, van den Bosch W, van den Hoogen H. Bedriegt schone schijn? Een onderzoek om de gerapporteerde werking van een homeopathisch middel te objectiveren. *Huisartsen Wetenschap* 36: 414-15, 1993.
Reason for exclusion: ineligible study design
5. Campbell A. Two pilot controlled trials of *Arnica montana*. *British Homeopathic Journal* 65:154-58, 1976.
Reason for exclusion: ineligible study design
6. Campistrous-Lavaut JI, Riveron-Garrote M, Fernandez-Arguelles R, Rodriguez Fm, Guajardo G. Estudio controlado y aleatorizado del manejo de la hipertension arterial con homeopatia *Boletin Mexicano de Homeopatia* 32(2):42-47, 1999.
Reason for exclusion: not available
7. Chapman EH. Homeopathic Treatment of Patients with Persistent Mild Traumatic Brain Injury. *British Homeopathic Journal* 89(1)S: s60, 2000.
Reason for exclusion: insufficient information
8. Clark J, Percivall A. A preliminary investigation into the effectiveness of the homeopathic remedy, *Ruta graveolens*, in the treatment of pain in plantar fasciitis. *British Journal of Podiatry* ; 3(3): 81-5, 2000.
Reason for exclusion: no matching trial
9. De Lange E. Effects of homeopathic medicines on children with recurrent upper respiratory tract infections. Amsterdam: University of Amsterdam, 2000.
Reason for exclusion: multiple publication
10. Fisher P, Greenwood A, Huskisson EC, Turner P, Belon P. Effect of homeopathic treatment on fibrositis (primary fibromyalgia). *British Medical Journal* 299:365-66, 1989.
Reason for exclusion: ineligible study design
11. Frei H, Thurneysen A. Homeopathy in acute otitis media in children: treatment effect or spontaneous resolution? *British Homeopathic Journal* 90(4): 180-2, 2001.
Reason for exclusion: ineligible study design
12. Friese KH. Qualitätssicherung in der Homöopathie am Beispiel der adenoiden Vegetationen. *Allgemeine homöopathische Zeitung* 242(2):68-72, 1997.
Reason for exclusion: multiple publication

13. Garrett B, Harrison PV, Stewart T, Porter I. A trial of homeopathic treatment of leg ulcers. *Journal of Dermatological Treatment* 8(2):115-117, 1997.
Reason for exclusion: ineligible study design
14. Gaus W. Biometrische Aspekte der "Münchener Kopfschmerzstudie". *Allgem Homöopathische Zeitung* 242(6):245-9, 1997.
Reason for exclusion: multiple publication
15. Grecho, Arc, Grepa. Protocole d'un essai de traitement homéopathique en chirurgie digestive. *La Presse médicale* 16:192-3, 1987.
Reason for exclusion: insufficient information
16. Greenfield S. The cantharis trial. British Homeopathic Research Group Communications 24:31-33, 1996.
Reason for exclusion: insufficient information
17. Hariveau E. La recherche clinique à l'institut Boiron. *Homéopathie* 5:55-58, 1987.
Reason for exclusion: ineligible study design
18. Jacobs J. Is homeopathy effective for hot flashes and other estrogen-withdrawal symptoms in breast cancer survivors? *Journal of the American Institute of Homeopathy* 92(2):72-7, 1999.
Reason for exclusion: insufficient information
19. Jansen GR, Koster TG, Haidvogel M, Heger M. The homeopathic treatment of asthma: a randomized clinical trial. Proceedings of the 52th Liga Medicorum Homeopathica Internationalis, Seattle, USA. 74-80, 1997.
Reason for exclusion: not available
20. Khan 1 Mt, Khan 2 Mt. Clinical Application of Homeopathic Podiatry as Used at The Royal London Homeopathic Hospital (RIhh). *British Homeopathic Journal* 89(1)S:s53, 2000.
Reason for exclusion: insufficient information
21. Köhler T. Wirksamkeitsnachweis eines Homöopathikums bei chronischer Polyarthritits - eine randomisierte Doppelblindstudie bei niedergelassenen Ärzten. *Der Kassenarzt* 13:48-52, 1991.
Reason for exclusion: multiple publication
22. Kubista E, Müller G, Spona J. Behandlung der Mastopathie mit zyklischer Mastodynie: klinische Ergebnisse und Hormonprofile. *Gynäkologische Rundschau* 26: 65-79, 1986.
Reason for exclusion: no homeopathic intervention
23. Lamont J. Homeopathic treatment of attention deficit hyperactivity disorder: a controlled study. *British Homeopathic Journal* 86:196-200, 1997.
Reason for exclusion: ineligible study design
24. Lara-Marquez ML, Pocino M, Rodriguez F, Carvallo GE, Ortega CF, Rodriguez C. Homeopathic treatment for atopic asthma lung function and immunological outcomes in a randomized clinical trial in Venezuela. Proceedings of the 52th Liga Medicorum Homeopathica Internationalis, Seattle, USA 73, 1997.
Reason for exclusion: not available
25. Lepaisant C. Clinical trials in homeopathy: treatment of mastodynia due to premenstrual syndrome. *Revue Française de Gynécologie et d'Obstétrique* 90:94-7,

1995.

Reason for exclusion: multiple publication

26. Lewith GT, Watkins AD, Hyland ME, Shaw S, Broomfield JA, Dolan G, Holgate ST. Use of ultramolecular potencies of allergen to treat asthmatic people allergic to house dust mite: double blind randomised controlled clinical trial. *British Medical Journal* 324:520-24, 2002.
Reason for exclusion: administrative error (study met inclusion criteria)
27. Lipman D, Sexton G, Schlessler J. A randomized double-blind placebo-controlled evaluation of the safety and efficacy of a natural OTC (Over the counter) medication in the management of snoring. *Sleep and Breathing* 3(2):53-56, 1999.
Reason for exclusion: no matching trial
28. Lökken P, Straunshiem PA, Tveiten D, Skjelbred P, Borchgrevink CF. Effect of homoeopathy on pain and other events after acute trauma: placebo controlled trial with bilateral oral surgery. *British Medical Journal* 310:1439-42, 1995.
Reason for exclusion: ineligible study design
29. Manchanda RK, Mehan N, Bahl R, Atey R. Double blind placebo controlled clinical trials of homeopathic medicines in warts and molluscum contagiosum. *Central Council for Research in Homeopathy, Quarterly Bulletin* 19:25-9, 1997.
Reason for exclusion: not available
30. Matusiewicz R. The homeopathic treatment of corticosteroid-dependent asthma. A double-blind, placebo-controlled study. *Biomedical Therapy* 15(4):117-122, 1997.
Reason for exclusion: insufficient information
31. Matusiewicz R. Wirksamkeit von Engystol N bei Bronchialasthma unter kortikoidabhängiger Therapie. *Biologische Medizin* 24(5):242-246, 1995.
Reason for exclusion: insufficient information
32. Michaud J. Action d'Apis mellefica et d'Arnica montana dans la prévention des oedèmes post-opératoires en chirurgie maxillo-faciale à propos d'une expérimentation clinique sur 60. Université de Nantes (thesis), 1981.
Reason for exclusion: no matching trial
33. Mössinger P. Zur therapeutischen Wirksamkeit von Hepar sulfuris calcareum D4 bei Pyodermien und Furunkeln. *Allgemeine Homöopathische Zeitung* 225:22-28, 1980.
Reason for exclusion: no matching trial
34. Ochoa-Bernal F, Ruiz-Hernández A, Searcy Bernal R. Disminución de la tension arterial elevada con Lachesis muta 200cH en el servicio de urgencias del Hospital Nacional homeopática. *Boletín Mexicano de Homeopatía* 28(2):48-53, 1995.
Reason for exclusion: not available
35. Paterson J. Report on the mustard gas experiments (Glasgow and London). *British Homeopathic Journal* 33:1-12, 1943.
Reason for exclusion: no matching trial
36. Rastogi DP, Singh VP, Singh V, Dey SK, Rao K. A double blind placebo controlled study: homoeopathy in HIV infection. *National Journal of Homoeopathy* 3(5):318-25, 2001.
Reason for exclusion: insufficient information

37. Rastogi DP, Singh VP, Singh V, Dey SK, Rao K. Double blind placebo controlled clinical trial of homeopathic medicines in HIV infection. *British Homeopathic Journal* 87:86-8, 1998.
Reason for exclusion: no clinical outcome
38. Rastogi DP, Singh VP, Singh V, Dey SK, Rao K. Homeopathy in HIV infection: a trial report of double-blind placebo controlled study. *British Homeopathic Journal* 88(2):49-57, 1999.
Reason for exclusion: no clinical outcome
39. Reeves KD, Hassanein K. Randomized prospective double-blind placebo-controlled study of dextrose prolotherapy for knee osteoarthritis with or without ACL laxity. *Alternative Therapies in Health & Medicine* 6(2):68-74, 2000.
Reason for exclusion: no homeopathic intervention
40. Riley D, Fischer M, Singh B, Haidvogel M, Heger M. Homeopathy and conventional medicine: An outcomes study comparing effectiveness in a primary care setting. *Journal of Alternative & Complementary Medicine* 7(2):149-159, 2001.
Reason for exclusion: ineligible study design
41. Riveron-Garrote M, Fernandez R, Rodriguez-Morón F, Campistrou-Labaut JI. Ensayo clinico controlado aleatorizado del tratamiento homeopático del asma bronquial. *Boletín Mexicano de Homeopatía* 31(2):54-61, 1998.
Reason for exclusion: not available
42. Schmidt C. A double blind, placebo controlled trial: Arnica montana applied topically to subcutaneous mechanical injuries. *Journal of the American Institute of homeopathy* 89:186-193, 1996.
Reason for exclusion: multiple publication
43. Schmück M, Gerhard I, Lütke R, Seidenabel P. Behandlung von Zyklusstörungen mit Homöopathie und die Problematik des Wirksamkeitsnachweises mittels einer randomisierten placebokontrollierten Doppelblindstudie. *Erfahrungsheilkunde* 44(9):556-62, 1995.
Reason for exclusion: ineligible study design
44. Schwab G. Lässt sich eine Wirkung homöopathischer Hochpotenzen nachweisen? Karlsruhe: Deutsche Homöopathische Union, 1990.
Reason for exclusion: ineligible study design
45. Shipley M, Berry H, Broster G, Jenkins M, Clover A. Controlled trial of homeopathic treatment of osteoarthritis. *Lancet* i:97-98, 1983.
Reason for exclusion: ineligible study design
46. Siebenwirth W. Wirksamkeit klassisch homöopathischer Therapie bei Neurodermitis constitutionalis atopica. In: Albrecht H, Frühwald M, eds. *Jahrbuch - Karl und Veronica Carstens Stiftung*, 123-128, 1996.
Reason for exclusion: ineligible study design
47. Siefert K, Runnebaum B, Gerhard I. Möglichkeiten der Quecksilberausleitung mit Antioxidantien oder Homöopathie - eine prospektive, randomisierte, kontrollierte Therapiestudie. In: Albrecht H, Frühwald M, eds. *Jahrbuch Band 4 (1997) - Karl und Veronica Carstens-Stiftung im Stifterverband für die Deutsche Wissenschaft*, 131-43. Essen: KVC Verlag - Karl und Veronica Carstens-Stiftung, 1998.
Reason for exclusion: no clinical outcome

48. Simpson JJ, Donaldson I, Davies WE. Use of homeopathy in the treatment of tinnitus. *British Journal of Audiology* 32:227-233, 1998.
Reason for exclusion: ineligible study design
49. Smolle J, Prause G, Kerl H. A double-blind, controlled clinical trial of homeopathy and an analysis of lunar phases and postoperative outcome. *Archives of Dermatology* 134(11):1368-70, 1998.
Reason for exclusion: multiple publication
50. Straumsheim PA, Borchgrevink C, Mowinckel P, Kierulf H, Hafslund O. Homeopathic treatment of migraine. A double-blind placebo controlled trial of 68 patients. *Dynamis*, Issue 2: 18-22, 1997.
Reason for exclusion: not available
51. Strauss LC. The efficacy of a homeopathic preparation in the management of attention deficit hyperactivity disorder. *Biomedical Therapy* 18(2):197-201, 2000.
Reason for exclusion: insufficient information
52. Thompson E, Douglas D, Reilly D. The homeopathic consultation plus remedy vs. placebo for menopausal symptoms in breast cancer survivors. A pilot randomised, double-blind, placebo-controlled trial. *Focus on alternative and complementary therapies* 7(1):112, 2002.
Reason for exclusion: insufficient information
53. Timofeeva TV, Gogitidze NV. Nootropic effects of new drug Curdlipid C6. 10th European College of Neuropsychopharmacology Congress. Vienna, Austria. 13th-17th September 1997.
Reason for exclusion: not available
54. Tuten C, McClung J. Reducing muscle soreness with Arnica montana. Is it effective? *Alternative & Complementary Therapies* 5:369-372, 1999.
Reason for exclusion: insufficient information
55. Walach H, Lowes T, Mussbach D, Schamell U, Springer W, Stritzl G, Haag G. The long-term effects of homeopathic treatment of chronic headaches: 1 year follow up. *Cephalalgia* 20(9):835-7, 2000.
Reason for exclusion: insufficient information
56. Weatherley Jones E. A randomised, controlled trial of homeopathic treatment for chronic fatigue syndrome, *Focus on alternative and complementary therapies* 7(1):115, 2002.
Reason for exclusion: insufficient information
57. White AR, Slade P, Hunt C, Ernst E. Individualised homeopathy for childhood asthma: a randomised placebo controlled trial. *Focus on alternative and complementary therapies* 7:116, 2002.
Reason for exclusion: insufficient information
58. Wiesenauer M, Gaus W. Wirksamkeitsnachweis eines Homöopathikums bei chronischer Polyarthrit. Eine randomisierte Doppelblindstudie bei niedergelassenen Ärzten. *Aktuelle Rheumatologie* 16:1-9, 1991.
Reason for exclusion: no matching trial
59. Wilkens J, Lüdtker R. Arnica 30x After Knee Surgery. *British Homeopathic Journal* 89(1)S:s72, 2000.
Reason for exclusion: insufficient information

60. Zell J, Connert WD, Mau J, Feuerstake G. Treatment of acute sprain of the ankle: A controlled double-blind trial to test the effectiveness of a homeopathic ointment. *Revista Brasileira de Medicina* 56(6):539-544, 1999.
Reason for exclusion: multiple publication